



**PREMIER
UROLOGY GROUP, LLC**
Urological Surgical Associates Division

Jerold Grubman, M.D., F.A.C.S.
Andrei Kachala, M.D., F.A.C.S.
Benjamin Fand, M.D., F.A.C.S.
William L. Terens, M.D., F.A.C.S.
Joshua L. Wein, M.D., F.A.C.S.
Rupa Patel, M.D., F.A.C.S.
Neil D. Sherman, M.D., F.A.C.S.
Michael Lasser, M.D.

DIPLOMATES
AMERICAN BOARD OF UROLOGY

Post-Penile Implant Surgery Instructions:

PROCEDURE: Implantation of artificial device to restore male potency

What to expect:

1. You will have a 1-2 inch incision on the scrotum
2. The stitches will dissolve
3. The penis will be sore/tender for 2 weeks
4. You will be discharged home with medications for pain and antibiotics

Wound Care:

1. Keep wound dry for 3 days
2. Use athletic supporter for 2 weeks
3. Keep penis up on lower abdomen for 1 week
4. Apply ice to genitals for the first 48 hours after being discharged from the hospital
5. After 1 week, gently feel the scrotal pump once a day
6. A small amount of bleeding is expected

Activity and Limitation:

1. No exertion for 10 days. Do not lift anything more than 10-15 lbs
2. Minimize stair climbing
3. Do not drive for 5 days
4. No sexual activity of any kind

Return to Work:

The return to work date will be decided by the physician at your first post-operative visit.

Call your physician for the following:

1. Fever greater than 100
2. Excessive bleeding
3. Pain that is not controlled by pain medication